

	L #	Hits	Search Text	DBs
1	L1	1448	709/220.ccls. or 709/223.ccls. and dns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	359	(709/220.ccls. or 709/223.ccls.) and dns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	227	2 and (model or template or configuration adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	88	2 and (model or template or configuration adj file) near3 (configur\$5 or manag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	39	4 and (@ad<20001031 or @prad<20001031)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	628	network near3 (configuration) near3 (template or file or model)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	2	6549937.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	3	(model or template) near4 entire near4 network and dns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	82	network near3 (configuration) near3 (template or file or model) and dns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L11	4287	configur\$5 with software and configur\$5 with hardware and configur\$5 with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L10	31	9 and (@ad<20001031 or @prad<20001031)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	68	(model or template) near4 (whole or all or entire or computer) near4 network and dns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L13	13	(model or template) near4 (whole or all or entire or computer) near4 network with (manag\$7 or configur\$5) and dns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	5	6393386.URPN.	USPAT

	L #	Hits	Search Text	DBs
15	L15	14	("4985857" "5195095" "5295244" "5309448" "5317568" "5517622" "5528516" "5608720" "5661668" "5748896" "5799153" "5854750" "5918051" "5951680").PN.	USPAT
16	L16	3	6249883.URPN.	USPAT
17	L17	5	("5367670" "5396613" "5774645" "6006016" "6098181").PN.	USPAT
18	L18	820	network near3 (configur\$5) near3 (template or file or model)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L19	87	18 and dns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L20	3	19 and (@ad<20001031 or @prad<20001031) not 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L21	41	(network near3 (configur\$5) near3 (template or model)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L23	0	22 and dns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L22	26	21 and (@ad<20001031 or @prad<20001031) not 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L24	1300	software and hardware and configuration and monitoring and (dns or domain adj name) and network and model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L25	1187	24 and (network or model) with (monitor\$4 or manag\$5 or configur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
26	L26	1023	software and hardware and configuration and monitoring and (dns or domain adj name adj server) and network and model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	L27	2	24 and ("6249883" "5748896" "6393386" "6052720")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	L28	1097	many near2 one near2 relationship	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	L29	80	24 and 28	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	L30	0	27 and 28	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	L31	38	29 and (@ad<20001031 or @prad<20001031) not 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	L32	36	26 and 31	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	L33	12524	network near5 model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	L34	12	28 same 33	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	L35	1	6393386.pn. and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB